






Quantum efficiency (23 °C)



Capacitance as fct of reverse bias (23 °C)



Dark current as fct of bias (23 °C)




European, International Sales:

First Sensor AG  
 Peter-Behrens-Strasse 15  
 12459 Berlin  
 Germany  
 Phone: +49-30-6399-2399  
 Fax: +49-30-6399-23752  
 E-Mail: sales.opto@first-sensor.com

USA:

Pacific Silicon Sensor, Inc.  
 5700 Corsa Avenue #105  
 Westlake Village  
 CA 91362 USA  
 Phone: +1-818-706-3400  
 Fax: +1-818-889-7053  
 E-Mail: sales@pacific-sensor.com

Technical Drawing, Package: CERsmd



Package dimension:

Small quantities: Foam pad, boxed (12 cm x 16.5 cm)

Handling:

Please refer to document "Instructions for handling and processing"

Disclaimer: Due to our strive for continuous improvement, specifications are subject to change within our PCN policy according to JESD46C.

European, International Sales:

First Sensor AG  
Peter-Behrens-Strasse 15  
12459 Berlin  
Germany  
Phone: +49-30-6399-2399  
Fax: +49-30-6399-23752  
E-Mail: sales.opto@first-sensor.com

USA:

Pacific Silicon Sensor, Inc.  
5700 Corsa Avenue #105  
Westlake Village  
CA 91362 USA  
Phone: +1-818-706-3400  
Fax: +1-818-889-7053  
E-Mail: sales@pacific-sensor.com